
sqlitebiter Documentation

Release 0.33.0

Tsuyoshi Hombashi

Aug 05, 2020

TABLE OF CONTENTS

1	sqlitebiter	1
1.1	Summary	1
1.2	Features	1
2	Installation	3
2.1	Installation: pip (Python package manager)	3
2.2	Installation: apt	3
2.3	Installation: dpkg (.deb package)	3
2.4	Installation: Windows	3
2.5	Installation: Windows (PowerShell)	4
2.6	Installation: brew for macOS	4
2.7	Command Completion (bash/zsh)	4
3	Dependencies	5
3.1	Python package dependencies	5
3.1.1	Google Sheets dependencies (Optional)	5
3.1.2	Misc dependencies (Optional)	5
3.2	Dependencies other than Python packages (Optional)	5
4	Usage	7
4.1	sqlitebiter command help	7
4.2	Create a SQLite database from CSV/Excel/JSON/SQLite/etc. files	8
4.2.1	Examples	8
4.2.2	sqlitebiter file subcommand help	9
4.2.3	Supported data formats	10
4.2.4	Table naming convention	11
4.3	Create a SQLite database from URL	11
4.3.1	Example	11
4.3.2	sqlitebiter url subcommand help	14
4.4	Create a SQLite database from stdin	14
4.4.1	Examples	14
4.4.2	sqlitebiter stdin subcommand help	15
4.5	Create a SQLite database from Google Sheets	15
4.5.1	Requirements	15
4.5.2	Example	15
4.5.3	sqlitebiter gs subcommand help	16
5	Changelog	17
6	Sponsors	19

7	Indices and tables	21
8	Links	23
9	Indices and tables	25

SQLITEBITER

1.1 Summary

sqlitebiter is a CLI tool to convert CSV / Excel / HTML / JSON / Jupyter Notebook / LDJSON / LTSV / Markdown / SQLite / SSV / TSV / Google-Sheets to a SQLite database file.

1.2 Features

- **Create a SQLite database file from:**
 - **File(s):**
 - * CSV / Tab separated values (TSV) / Space separated values (SSV)
 - * Microsoft Excel TM
 - * HTML
 - * JSON
 - * Jupyter Notebook
 - * Labeled Tab-separated Values (LTSV)
 - * Line-delimited JSON(LDJSON) / NDJSON / JSON Lines
 - * Markdown
 - * Mediawiki
 - * SQLite
 - Google Sheets
 - URL (scrape tabular data from web pages)
- Multi-byte character support
- Automatic file encoding detection

INSTALLATION

2.1 Installation: pip (Python package manager)

```
pip install sqlitebiter
```

2.2 Installation: apt

You can install the package by apt via a Personal Package Archive (PPA):

```
sudo add-apt-repository ppa:thombashi/ppa
sudo apt update
sudo apt install sqlitebiter
```

2.3 Installation: dpkg (.deb package)

The following commands will download the latest .deb package from the [release page](#), and install it.

```
curl -sSL https://raw.githubusercontent.com/thombashi/sqlitebiter/master/scripts/
↳ installer.sh | sudo bash
```

2.4 Installation: Windows

sqlitebiter can be used in Windows environments without Python installation as follows:

1. Navigate to <https://github.com/thombashi/sqlitebiter/releases>
2. Download the latest version of the `sqlitebiter_win_x64.zip`
3. Unzip the file
4. Execute `sqlitebiter.exe` in either Command Prompt or PowerShell

2.5 Installation: Windows (PowerShell)

The following commands will download the latest execution binary from the [release page](#) to the current directory.

```
wget https://github.com/thombashi/sqlitebiter/raw/master/scripts/get-sqlitebiter.ps1 -  
→OutFile get-sqlitebiter.ps1  
Set-ExecutionPolicy Unrestricted -Scope Process -Force; .\get-sqlitebiter.ps1
```

2.6 Installation: brew for macOS

```
$ brew tap thombashi/sqlitebiter  
$ brew install sqlitebiter
```

- [Homebrew Formula](#)

2.7 Command Completion (bash/zsh)

```
setup command completion for bash:  
  
    sqlitebiter completion bash >> ~/.bashrc  
  
setup command completion for zsh:  
  
    sqlitebiter completion zsh >> ~/.zshrc
```


DEPENDENCIES

Python 3.5+

3.1 Python package dependencies

- Mandatory dependencies (automatically installed)

3.1.1 Google Sheets dependencies (Optional)

Extra Python packages are required to install to use Google Sheets feature (*gs* subcommand):

- `gspread`
- `oauth2client`
- `pyOpenSSL`

The extra packages can be installed with the following *pip* command;

```
$ pip install sqlitebiter[gs]
```

note: binary packages include these dependencies

3.1.2 Misc dependencies (Optional)

- `lxml`
- `py pandoc`
 - required when converting MediaWiki files

3.2 Dependencies other than Python packages (Optional)

- `libxml2` (faster HTML/Markdown conversion)
- `pandoc` (required when converting MediaWiki files)

4.1 sqlitebiter command help

sqlitebiter has following subcommands:

- **file:** Convert tabular data within CSV/Excel/HTML/JSON/LTSV/Markdown/SQLite/TSV file(s) to a SQLite database file
 - *Create a SQLite database from CSV/Excel/JSON/SQLite/etc. files*
- **url:** Scrape tabular data from a URL and convert data to a SQLite database file.
 - *Create a SQLite database from URL*
- **gs:** Convert a spreadsheet in Google Sheets to a SQLite database file.
 - *Create a SQLite database from Google Sheets*
- **configure:** Configure the application settings

```
Usage: sqlitebiter [OPTIONS] COMMAND [ARGS]...

Options:
  --version                Show the version and exit.
  -o, --output-path PATH  Output path of the SQLite database file.
                          Defaults to 'out.sqlite'.
  -a, --append            Append table(s) to existing database.
  --add-primary-key PRIMARY_KEY_NAME
                          Add 'PRIMARY KEY AUTOINCREMENT' column with
                          the specified name.
  --convert-config TEXT   [experimental] Configurations for data
                          conversion. The option can be used only for
                          url subcommand.
  -i, --index INDEX_ATTR Comma separated attribute names to create
                          indices.
  --no-type-inference     All of the columns assume as TEXT data type
                          in creating tables.
  --type-hint-header      Use headers suffix as type hints. If there
                          are type hints, converting columns by
                          datatype corresponding with type hints. The
                          following suffixes can be recognized as type
```

(continues on next page)

(continued from previous page)

	hints (case insensitive): "text": TEXT datatype. "integer": INTEGER datatype. "real": REAL datatype.
--replace-symbol TEXT	Replace symbols in attributes.
-v, --verbose	
--max-workers WORKERS	Specify maximum number of workers that the command may use. defaults to 1.
--debug	For debug print .
-q, --quiet	Suppress execution log messages.
-h, --help	Show this message and exit.
Commands:	
completion	A helper command to setup command completion.
configure	Configure the following application settings: (1) Default...
file	Convert tabular data within CSV/Excel/HTML/JSON/Jupyter...
gs	Convert a spreadsheet in Google Sheets to a SQLite database...
stdin	Convert tabular data within CSV/HTML/JSON/Jupyter...
url	Scrape tabular data from a URL and convert data to a SQLite...

4.2 Create a SQLite database from CSV/Excel/JSON/SQLite/etc. files

sqlitebiter file is a subcommand to convert tabular data file(s) to a SQLite database file.

4.2.1 Examples

Using wildcard to convert multiple files. File formats are automatically detected from the extensions.

Example

```
$ ls
sample_data.csv sample_data.xlsx sample_data_multi.json sample_data_
↪single.json
$ sqlitebiter -o sample.sqlite file *
[INFO] sqlitebiter file: convert 'sample_data.csv' to 'sample_data' table
[INFO] sqlitebiter file: convert 'sample_data_multi.json' to 'table_a'
↪table
[INFO] sqlitebiter file: convert 'sample_data_multi.json' to 'table_b'
↪table
[INFO] sqlitebiter file: convert 'sample_data_single.json' to 'sample_
↪data_single' table
[INFO] sqlitebiter file: convert 'sample_data.xlsx' to 'samplesheet1'
↪table
[INFO] sqlitebiter file: convert 'sample_data.xlsx' to 'samplesheet3'
↪table
[INFO] sqlitebiter file: converted results: source=4, success=6, created-
↪table=6
[INFO] sqlitebiter file: database path: sample.sqlite
```

Output

```
$ sqlite3 sample.sqlite .schema
CREATE TABLE IF NOT EXISTS '_source_info_' ("source_id" INTEGER NOT NULL,
↪ "dir_name" TEXT, "base_name" TEXT NOT NULL, "format_name" TEXT NOT
↪ NULL, "dst_table" TEXT NOT NULL, size INTEGER, mtime INTEGER);
CREATE TABLE IF NOT EXISTS 'sample_data' ("attr_a" INTEGER, "attr_b"
↪ REAL, "attr_c" TEXT);
CREATE TABLE IF NOT EXISTS 'table_a' ("attr_a" INTEGER, "attr_b" REAL,
↪ "attr_c" TEXT);
CREATE TABLE IF NOT EXISTS 'table_b' (a INTEGER, b REAL);
CREATE TABLE IF NOT EXISTS 'sample_data_single' ("attr_a" INTEGER, "attr_
↪ b" REAL, "attr_c" TEXT);
CREATE TABLE IF NOT EXISTS 'samplesheet1' (a INTEGER, b REAL, c TEXT);
CREATE TABLE IF NOT EXISTS 'samplesheet3' (aa INTEGER, ab TEXT, ac TEXT);
```

Designate multiple file path to convert:

Example

```
$ sqlitebiter file sample_data.csv sample_data.xlsx
[INFO] sqlitebiter file: convert 'sample_data.csv' to 'sample_data' table
[INFO] sqlitebiter file: convert 'sample_data.xlsx' to 'samplesheet1'
↪ table
[INFO] sqlitebiter file: convert 'sample_data.xlsx' to 'samplesheet3'
↪ table
[INFO] sqlitebiter file: converted results: source=2, success=3, created-
↪ table=3
[INFO] sqlitebiter file: database path: out.sqlite
```

Note:

- Available JSON Schema is limited. Acceptable format described in [here](#)
- Wildcard characters cannot use in Windows environments

You could specify converting file format with the `--format` option

Example

```
$ sqlitebiter file --format csv sample_data
[INFO] sqlitebiter file: convert 'sample_data.csv' to 'sample_data' table
[INFO] sqlitebiter file: converted results: source=1, success=1, created-
↪ table=1
[INFO] sqlitebiter file: database path: out.sqlite
```

4.2.2 sqlitebiter file subcommand help

```
Usage: sqlitebiter file [OPTIONS] [FILES]...
```

Convert tabular data within CSV/Excel/HTML/JSON/Jupyter Notebook/LDJSON/LTSV/Markdown/Mediawiki/SQLite/SSV/TSV file(s) **or** named pipes to a SQLite database file.

Options:

```
-r, --recursive      Read all files under each directory,
                    recursively.
```

(continues on next page)

(continued from previous page)

```

--pattern PATTERN          Convert files matching PATTERN.
--exclude PATTERN         Exclude files matching PATTERN.
--follow-symlinks         Follow symlinks.
-f, --format [csv|excel|html|json|json_
↳lines|jsonl|ldjson|ltsv|markdown|mediawiki|ndjson|sqlite|ssv|tsv|ipynb]
                          Data format to loading (auto-detect from
                          file extensions in default).

--encoding ENCODING       Encoding to load files. Auto-detection from
                          files in default.

-h, --help                Show this message and exit.

Documentation: https://sqlitebiter.rtfid.io/ Issue tracker:
https://github.com/thombashi/sqlitebiter/issues

```

4.2.3 Supported data formats

Following table shows that the supported data formats:

Table 1: Available data formats

Format	File Extension	Remarks
CSV	.csv	
Excel	.xlsx/.xls	Create table for each sheet in the Excel workbook.
HTML	.html/.htm	Scrape tabular data from <table> tags in the HTML file. And create table for each <table> tag data.
JSON	.json	
Jupyter Notebook	.ipynb	
Line-delimited JSON	.jsonl/.ldjson/.ndjson	
LTSV	.ltsv	
Markdown	.md	Extract tabular data in the Markdown file. And create a table for each <table> tabular data.
SQLite	.sqlite/.sqlite3	
TSV	.tsv	

4.2.4 Table naming convention

Table name automatically decided as follows for each format:

Format	Table Name
CSV	<filename>
Excel	<Sheet name>
HTML	<title>_<key>. <title> replaced with the title tag of the page. <key> replaced with: (1) id attribute of the table tag. (2) unique string if id attribute not present in the table tag.
JSON	
LTSV	<filename>
Markdown	<filename>
TSV	<filename>

- **Common behavior**

- **<filename> replaced with filename of converting file (without extensions)**

* e.g. If the input file name is `sample.csv`, `<filename>` is `sample`

If a created table name already exists in the database, the behavior differs depending on the existing table (after this referred to as A) and create table (after this referred to as B) structure:

1. **A and B has the same table name and table structure**

- Append creating table data to the existing table data

2. **A and B has the same table name, but different table structure**

- `sqlitebiter` try to create unique table name for B by appending suffix id number

4.3 Create a SQLite database from URL

`sqlitebiter url` is a subcommand to fetch table data from the Internet and convert to a SQLite database file.

4.3.1 Example

Following is an example that converts HTML table tags within a web page to SQLite tables by the web page URL.

Example

```
$ sqlitebiter url "https://en.wikipedia.org/wiki/Comparison_of_firewalls"
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html1' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html2' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html3' table
```

(continues on next page)

(continued from previous page)

```
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html4' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html5' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html6' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html7' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html8' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html9' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html10' table
[INFO] sqlitebiter url: convert 'Comparison_of_firewalls' to 'Comparison_
↳of_firewalls_Wikipedia_html11' table
[INFO] sqlitebiter url: converted results: source=1, success=11, created-
↳table=11
[INFO] sqlitebiter url: database path: out.sqlite
```

Output

```
$ sqlite3 out.sqlite .schema
CREATE TABLE IF NOT EXISTS '_source_info_' ("source_id" INTEGER NOT NULL,
↳ "dir_name" TEXT, "base_name" TEXT NOT NULL, "format_name" TEXT NOT
↳ NULL, "dst_table" TEXT NOT NULL, size INTEGER, mtime INTEGER);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html11'
↳ (Firewall TEXT, License TEXT, [Cost and usage limits] TEXT, OS TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html12'
↳ (Firewall TEXT, License TEXT, Cost TEXT, OS TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html13'
↳ ([Can Target:] TEXT, [Changing default policy to accept/reject (by
↳ issuing a single rule)] TEXT, [IP destination address(es)] TEXT, [IP
↳ source address(es)] TEXT, [TCP/UDP destination port(s)] TEXT, [TCP/UDP
↳ source port(s)] TEXT, [Ethernet MAC destination address] TEXT,
↳ [Ethernet MAC source address] TEXT, [Inbound firewall (ingress)] TEXT,
↳ [Outbound firewall (egress)] TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html14'
↳ ([Can:] TEXT, [work at OSI Layer 4 (stateful firewall)] TEXT, [work at
↳ OSI Layer 7 (application inspection)] TEXT, [Change TTL? (Transparent
↳ to traceroute)] TEXT, [Configure REJECT-with answer] TEXT, [DMZ (de-
↳ militarized zone) - allows for single/several hosts not to be
↳ firewalled.] TEXT, [Filter according to time of day] TEXT, [Redirect
↳ TCP/UDP ports (port forwarding)] TEXT, [Redirect IP addresses
↳ (forwarding)] TEXT, [Filter according to User Authorization] TEXT,
↳ [Traffic rate-limit / QoS] TEXT, Tarpit TEXT, Log TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html15'
↳ ([Features:] TEXT, "Configuration: GUI_ text or both modes?" TEXT,
↳ "Remote Access: Web (HTTP)_ Telnet_ SSH_ RDP_ Serial COM RS232_ ..."
↳ TEXT, [Change rules without requiring restart?] TEXT, [Ability to
↳ centrally manage all firewalls together] TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html16'
↳ ([Features:] TEXT, [Modularity: supports third-party modules to extend
↳ functionality?] TEXT, [IPS : Intrusion prevention system] TEXT, [Open-
↳ Source License?] TEXT, [supports IPv6 ?] TEXT, [Class: Home /
↳ Professional] TEXT, [Operating Systems on which it runs?] TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html17'
↳ ([Can:] TEXT, "NAT44 (static_dynamic w/o ports_ PAT)" TEXT, "NAT64 (static_
↳ NPTv6" TEXT, [IDS (Intrusion Detection System)] TEXT, [VPN (Virtual
↳ Private Network)] TEXT, [AV (Anti-Virus)] TEXT, Sniffer TEXT,
↳ [Profile selection] TEXT);
```


(continued from previous page)

```
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html8' (
↳([vteFirewall software] TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html9' (A
↳TEXT, B TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html10' (A
↳TEXT, B TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html11' (A
↳TEXT, B TEXT);
```

The attributes within the converted SQLite database may include symbols as the above. Symbols within attributes can be replaced by using `--replace-symbol` option. In the following example shows replace symbols to underscores.

Example

```
$ sqlitebiter --replace-symbol _ -q url "https://en.wikipedia.org/wiki/
↳Comparison_of_firewalls"
```

Output

```
$ sqlite3 out.sqlite .schema
CREATE TABLE IF NOT EXISTS '_source_info_' ("source_id" INTEGER NOT NULL,
↳ "dir_name" TEXT, "base_name" TEXT NOT NULL, "format_name" TEXT NOT
↳NULL, "dst_table" TEXT NOT NULL, size INTEGER, mtime INTEGER);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html11' (
↳(Firewall TEXT, License TEXT, "Cost_and_usage_limits" TEXT, OS TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html2' (
↳(Firewall TEXT, License TEXT, Cost TEXT, OS TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html3' (
↳"Can_Target" TEXT, "Changing_default_policy_to_accept_reject_by_
↳issuing_a_single_rule" TEXT, "IP_destination_address_es" TEXT, "IP_
↳source_address_es" TEXT, "TCP_UDP_destination_port_s" TEXT, "TCP_UDP_
↳source_port_s" TEXT, "Ethernet_MAC_destination_address" TEXT,
↳"Ethernet_MAC_source_address" TEXT, "Inbound_firewall_ingress" TEXT,
↳"Outbound_firewall_egress" TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html4' (
↳(Can TEXT, "work_at_OSI_Layer_4_stateful_firewall" TEXT, "work_at_OSI_
↳Layer_7_application_inspection" TEXT, "Change_TTL_Transparent_to_
↳traceroute" TEXT, "Configure_REJECT_with_answer" TEXT, "DMZ_de_
↳militarized_zone_allows_for_single_several_hosts_not_to_be_firewalled"
↳TEXT, "Filter_according_to_time_of_day" TEXT, "Redirect_TCP_UDP_ports_
↳port_forwarding" TEXT, "Redirect_IP_addresses_forwarding" TEXT,
↳"Filter_according_to_User_Authorization" TEXT, "Traffic_rate_limit_QoS
↳" TEXT, Tarpit TEXT, Log TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html5' (
↳(Features TEXT, "Configuration_GUI_text_or_both_modes" TEXT, "Remote_
↳Access_Web_HTTP_Telnet_SSH_RDP_Serial_COM_RS232" TEXT, "Change_rules_
↳without_requiring_restart" TEXT, "Ability_to_centrally_manage_all_
↳firewalls_together" TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html6' (
↳(Features TEXT, "Modularity_supports_third_party_modules_to_extend_
↳functionality" TEXT, "IPS_Intrusion_prevention_system" TEXT, "Open_
↳Source_License" TEXT, "supports_IPv6" TEXT, "Class_Home_Professional"
↳TEXT, "Operating_Systems_on_which_it_runs" TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html7' (
↳(Can TEXT, "NAT44_static_dynamic_w_o_ports_PAT" TEXT, "NAT64_NPTv6"
↳TEXT, "IDS_Intrusion_Detection_System" TEXT, "VPN_Virtual_Private_
↳Network" TEXT, "AV_Anti_Virus" TEXT, Sniffer TEXT, "Profile_selection"
↳TEXT);
```

(continues on next page)

(continued from previous page)

```
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html8' (
↳"vteFirewall_software" TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html9' (A_
↳TEXT, B TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html10' (A_
↳TEXT, B TEXT);
CREATE TABLE IF NOT EXISTS 'Comparison_of_firewalls_Wikipedia_html11' (A_
↳TEXT, B TEXT);
```

4.3.2 sqlitebiter url subcommand help

Usage: sqlitebiter url [OPTIONS] URL

Scrape tabular data **from a URL and** convert data to a SQLite database file.

Options:

```
-f, --format [csv|excel|html|json|json_
↳lines|jsonl|ldjson|ltsv|markdown|mediawiki|ndjson|sqlite|ssv|tsv|ipynb]
Data format to loading (defaults to html).
-e, --encoding ENCODING HTML page read encoding. Defaults to utf-8.
-p, --proxy PROXY Specify a proxy in the form
[user:passwd@]proxy.server:port.

-h, --help Show this message and exit.
```

Documentation: <https://sqlitebiter.rtfid.io/> Issue tracker:
<https://github.com/thombashi/sqlitebiter/issues>

4.4 Create a SQLite database from stdin

sqlitebiter stdin is a subcommand to convert tabular data text from stdin to a SQLite database file.

4.4.1 Examples

A data format is a mandatory argument for sqlitebiter stdin subcommand:

Example

```
$ echo '[{"hoge": 4, "foo": "abc"}, {"hoge": 12, "foo": "xyz"}]' |_
↳sqlitebiter stdin json
[INFO] convert 'stdin' to 'jsonl' table
[INFO] converted results: source=1, success=1, created-table=1
[INFO] database path: out.sqlite
```

4.4.2 sqlitebiter stdin subcommand help

```
Usage: sqlitebiter stdin [OPTIONS] [csv|html|json|json_lines|jsonl|ldjson|ltsv
      |markdown|mediawiki|ndjson|ssv|tsv|ipynb]
```

Convert tabular data within CSV/HTML/JSON/Jupyter Notebook/LDJSON/LTSV/Markdown/Mediawiki/SSV/TSV text to a SQLite database file.

Options:

-h, --help Show this message **and** exit.

Documentation: <https://sqlitebiter.rtfid.io/> Issue tracker: <https://github.com/thombashi/sqlitebiter/issues>

4.5 Create a SQLite database from Google Sheets

sqlitebiter gs is a subcommand to convert [Google Sheets](#) to a SQLite database file.

4.5.1 Requirements

Following python packages are required to use Google Sheets feature.

- [gspread](#)
- [oauth2client](#)
- [pyOpenSSL](#)

Dependency Python package installation:

```
$ pip install sqlitebiter[gs]
```

Or

```
$ sudo pip install gspread
$ sudo pip install oauth2client pyopenssl
```

4.5.2 Example

Example

```
$ sqlitebiter -o sample.sqlite gs credentials-xxxxxxxxxxxxx.json_
↪samplebook
[INFO] sqlitebiter gs: convert 'samplebook' to 'sheet3' table
[INFO] sqlitebiter gs: convert 'samplebook' to 'sheet1' table
[INFO] sqlitebiter gs: converted results: source=1, success=2, created-
↪table=2
[INFO] sqlitebiter gs: database path: sample.sqlite
```

Output

```
$ sqlite3 sample.sqlite .schema
CREATE TABLE sqlite_sequence(name,seq);
CREATE TABLE IF NOT EXISTS '_source_info_' ("source_id" INTEGER NOT NULL,
↪ "dir_name" TEXT, "base_name" TEXT NOT NULL, "format_name" TEXT NOT_
↪NULL, "dst_table" TEXT NOT NULL, size INTEGER, mtime INTEGER);
CREATE TABLE IF NOT EXISTS 'sheet3' (a INTEGER, b REAL, c TEXT);
CREATE TABLE IF NOT EXISTS 'sheet1' (a INTEGER, b REAL, c TEXT);
```

4.5.3 sqlitebiter gs subcommand help

Usage: sqlitebiter gs [OPTIONS] CREDENTIALS TITLE

Convert a spreadsheet **in** Google Sheets to a SQLite database file.

CREDENTIALS: OAuth2 Google credentials file. TITLE: Title of the Google Sheets to convert.

Options:

-h, --help Show this message **and** exit.

Documentation: <https://sqlitebiter.rtfid.io/> Issue tracker:
<https://github.com/thombashi/sqlitebiter/issues>

CHANGELOG

<https://github.com/thombashi/sqlitebiter/releases>

SPONSORS

Become a sponsor

INDICES AND TABLES

- `genindex`

LINKS

- [pip](#): A tool for installing python packages
- [GitHub repository](#)
- [Issue tracker](#)

INDICES AND TABLES

- `genindex`